



Taraxacum The digital book

Version 1.0

Doc. No.:

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

Revision History

Date	Version	Description	Author
2011-11-03	0.1	Initial Draft	Shahid Tarar & Adil Farid
2011-11-13	0.2	Added test cases	Shahid Tarar & Adil Farid
2011-12-04	0.3	Updated test plan	Shahid Tarar
2011-12-06	0.4	Spelling check and added comments. Updated 1.1, 1.3, 1.5, 6.1, 9.x	Anne Jon Schoonhoven
2011-12-09	0.5	Updated sections 1.1, 1.3, 1.5, 3, 4, 6, 6.2	Shahid Tarar
2011-12-10	0.6	Updated the Test Use cases	Adil Farid
2011-12-15	1.0	Updated section 3, 9.2, 10.2, 11	Shahid Tarar

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

Table of Contents

1.	Introduction	5
1.1	Purpose of this document	5
1.2	Intended Audience	5
1.3	Scope	5
1.4	Acronyms	5
1.5	References	5
2.	Test-plan introduction	5
3.	Test items	5
4.	Features to be tested	5
5.	Features not to be tested	6
6.	Approach	6
6.1	Approach to configuration and installation	6
6.2	Item pass/fail criteria	6
6.3	Installation and Configuration	6
6.4	Documentation problems	6
7.	Suspension criteria and resumption requirements	6
8.	Environmental needs	6
8.1	Hardware	6
8.2	Software	6
8.3	Other	6
9.	Test procedure	7
9.1	Test case specifications	7
9.1.1	Test Cases for General Users	7
9.1.2	Test Cases for Registered User	16
9.1.3	Test Cases for Student	20
9.1.4	Test Cases for Teachers	26
9.2	Test plan	36
10.	Responsibilities	37
10.1	Developers	37
10.2	User representative	Fout! Bladwijzer niet gedefinieerd.
11.	Risks and contingencies	37
12.	Approvals	37

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

1. Introduction

1.1 Purpose of this document

The purpose of this document is to determine the quality of the application and to verify the expected results from the project. Test case specifications are also included in this document to validate the implemented functions.

1.2 Intended Audience

The intended audience of the document is:

- Supervisor –responsible for monitoring the status of the project, its direction and outcomes.
- Customer – to have comprehensive report of the system quality.
- Project team – to have an overview of what will be tested of the developed product..

1.3 Scope

The document explains the implemented test case(s). It also describes the generic system testing along with particular test devised for each phase of the project and a list of test case specifications. The results of conducting the test cases are given in Test report document.

1.4 Acronyms

Acronym or abbreviation	Definitions
DB	Database
MVC	Model-View-Controller

1.5 References

This document is based on the previously developed deliverables available at <http://www.fer.unizg.hr/rasip/dsd/projects/taraxacum/documents>

- Project description
- Requirements definition
- Design description

2. Test-plan introduction

The key objective of this part is to verify all the functions implemented in whole the project and the individual parts of the system as well. Keeping in mind the user's interaction with the Taraxacum the whole system is divided into three different categories to validate all the features and functionalities.

1. Guest
2. Registered user
3. Teacher

3. Test items

We will test View and Controller using interaction testing, and model using unit testing.

4. Features to be tested

All the implemented features described in Requirement definition will be tested to make sure that they fulfill the customer's requirements.

We have divided Taraxacum into following features for testing.

- User interface – proper layout, no spelling mistakes, proper HTML controls response and front end filters for user entry.

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

- Logic – all the implemented functions are working properly as per the user category. The added material, stored in a proper category. The functions behaves as per required
- Backend – All the data types are correctly created to handle the data so there is no anomaly occurring while communicating with the database.

5. Features not to be tested

The following features will not be tested.

- Performance
- Security
- Usability

6. Approach

The application is tested as per our iteration. In first iteration we had been testing simple, if the data is being stored and being fetched as per requirement in database and in second iteration, the application is tested with different data and checked if all the checks and functions implemented are working properly. For final iteration we are also testing application in Watir framework for automatic testing. At the backend the programmers are also Unit testing the system.

6.1 Approach to configuration and installation

The system is installed locally on the machine of the tester. Because the database can be regenerate and every requested moment, we can start each test session with a predefined and fixed test setting.

6.2 Item pass/fail criteria

In use case testing, the test will be marked passed if it shows the expected results where as test will be marked failed if it doesn't match the expected results from that.

6.3 Installation and Configuration

The testing of Taraxacum web portal doesn't affect the testing procedure at all as long as the right environment (mentioned in Section 9) is used to approach the web application through internet with a working machine.

6.4 Documentation problems

This document is based on mainly Requirement description and Design description which are almost done already.

7. Suspension criteria and resumption requirements

The MVC structure is implemented where data, logic, and front end are independent parts of the system but strongly coupled with each other. If any small error occurs, the application will not crash but if there is any big error which crashes the whole system should be fixed immediately.

8. Environmental needs

8.1 Hardware

- A working machine (Desktop, Laptop)

8.2 Software

- Operating system (Windows XP, Vista, Windows 7, Unix)
- Web browser (Google Chrome or Mozilla Firefox 3.6+)
- Visual Studio 2010
- SQL Server 2008 express
- MVC3 Framework.

8.3 Other

- Internet connection

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

9. Test procedure

We are using a simple template for each test case management. Name, Goal, Participating actors and Precondition are self explanatory. Type means whether the test should succeed or fail. Positive type means the test should succeed, where as negative type means the test should fail. Event flow contains the steps that will eventually produce the desired results. Output definition explains the results we are expecting after following the steps defined in event flow. And remarks are additional comments or small tests we should consider while testing.

9.1 Test case specifications

9.1.1 Test Cases for General Users

<i>Name</i>	Login	GEN 1.0-P
<i>Goal</i>	Authenticate the user	
<i>Participating actors</i>	Registered User	
<i>Precondition</i>	The user has an active account	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>The Registered User is at a PUBLIC page.</p> <ol style="list-style-type: none"> 1. The user clicks on the login button. 2. A dialog with two fields is displayed 3. The user enters his valid username and password. 4. The user details are committed. 5. The user is redirected to the page from where he clicks on the login button. <p>The user is logged in and user's first name is listed on the page.</p>	
<i>Output definition</i>	The user is successfully logged in. And a log in message is displayed to the user	
<i>Remarks</i>		

<i>Name</i>	Login	GEN 1.0-N
<i>Goal</i>	Authenticate the user	
<i>Participating actors</i>	Registered User	
<i>Precondition</i>	The user has an active account	
<i>Type</i>	Negative	
<i>Event flow</i>	<p>The Registered User is at a PUBLIC page.</p> <ol style="list-style-type: none"> 1. The user clicks on the login button. 2. A dialog with two fields is displayed 3. The user enters invalid username and password. 4. The user details are committed. 5. The system inform the user with the message "combination of username and password is not found" 	
<i>Output definition</i>	The system generates an error message and remains at the same page	
<i>Remarks</i>		

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Register	GEN 1.1-P
<i>Goal</i>	Register Guest to a registered account in the system	
<i>Participating actors</i>	Guest	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The Guest is at a PUBLIC page.</p> <ol style="list-style-type: none"> 1. Guest clicks on the register button. 2. A REGISTER page with the required fields is displayed. (See User Information Section) 3. Guest enters his valid credentials 4. Guest clicks on the submit button 5. Guest is showed a welcome page. <p>The Guest is now a registered user and logged in having the role with the lowest privileges possible in the system.</p>	
<i>Output definition</i>	The user record is properly inserted into the database, and welcome message is displayed to the user.	
<i>Remarks</i>		

<i>Name</i>	Register	GEN 1.1-N
<i>Goal</i>	Register Guest to a registered account in the system	
<i>Participating actors</i>	Guest	
<i>Precondition</i>		
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>The Guest is at a PUBLIC page.</p> <ol style="list-style-type: none"> 6. Guest clicks on the register button. 7. A REGISTER page with the required fields is displayed. (See User Information Section) 8. Guest enters his invalid credentials (similar to another user account) 9. Guest clicks on the submit button 10. A proper error message is generated. And the user remained on the same page. 	
<i>Output definition</i>	The user record not inserted into the database, and error message is displayed to the user.	
<i>Remarks</i>		

<i>Name</i>	Register	GEN 1.1-N
<i>Goal</i>	Register Guest to a registered account in the system	
<i>Participating actors</i>	Guest	
<i>Precondition</i>		
<i>Test Type</i>	Negative (incomplete entry to fields)	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Event flow</i>	<p>The Guest is at a PUBLIC page.</p> <ol style="list-style-type: none"> 1. Guest clicks on the register button. 2. A REGISTER page with the required fields is displayed. 3. Guest enters his incomplete credentials i.e. do not fill all the required fields. 4. Guest clicks on the submit button 5. A proper error message is generated, prompting user to fill all the required fields. And the user remained on the same page.
<i>Output definition</i>	No user record is inserted into the database, and error message is displayed to the user.
<i>Remarks</i>	

<i>Name</i>	View Resource List	GEN 2.0-P
<i>Goal</i>	View all the resources in the system	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at the HOME page.</p> <ol style="list-style-type: none"> 1. The user clicks on the Browse button. 2. The user is displayed the BROWSE page. 3. The user selects the “Resources” Button 4. The user is displayed a RESOURCES RESULT page listing all the resources. 	
<i>Output definition</i>	The list of resources is displayed to the user from the database. If the database does not have any resources then an empty page is displayed with a message “No resources available”.	
<i>Remarks</i>		

<i>Name</i>	Search Resource	GEN 3.0-P
<i>Goal</i>	Display a list of resources based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a RESOURCES RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills in his valid criteria in the search field. 2. The user clicks on the search button. 3. The user is displayed a RESOURCES RESULT page listing all the resources matching his criteria. 	
<i>Output definition</i>	The list of resources is generated from the database.	
<i>Remarks</i>		

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Search Resource	GEN 3.0-N
<i>Goal</i>	Display a list of resources based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>The User is at a RESOURCES RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills an invalid criteria in the search field (making sure that the search criteria will generate no search results) 2. The user clicks on the search button. 3. The user is displayed a RESOURCES RESULT page listing no resources. 	
<i>Output definition</i>	An empty result list is displayed to the user	
<i>Remarks</i>		

<i>Name</i>	Search Resource	GEN 3.0-N
<i>Goal</i>	Display a list of resources based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Negative (Search for empty fields)	
<i>Event flow</i>	<p>The User is at a RESOURCES RESULT page.</p> <ol style="list-style-type: none"> 1. The user leave the search field empty. 2. The user clicks on the search button. 	
<i>Output definition</i>	No results should be generated.	
<i>Remarks</i>		

<i>Name</i>	View Resource	GEN 4.0-P
<i>Goal</i>	Shows the contents and description of a resource	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a RESOURCES RESULT page.</p> <ol style="list-style-type: none"> 1. The user clicks on the name of a listed resource. 2. The system displays the corresponding content en description of the resource on a RESOURCE page. <p>The User is at a page containing a resource link.</p> <ol style="list-style-type: none"> 1. The user clicks on link of the displayed resource. 2. The system displays the corresponding content en description of the resource on a RESOURCE page. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	A RESOURCE page contains the resources content + the meta information
<i>Output definition</i>	A RESOURCE page containing proper information is displayed.
<i>Remarks</i>	Check the method for implementation of the Resource page. If GET method is used for accessing the Resource id from the URL, then try to provide an invalid Resource ID, and see the results.

<i>Name</i>	View Topic List	GEN 5.0-P
<i>Goal</i>	View all the topics in the system	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at the HOME page.</p> <ol style="list-style-type: none"> 1. The user clicks on the Browse button. 2. The user is displayed the BROWSE page. 3. The user selects the “Topics” Button 4. The user is displayed a TOPICS RESULT page listing all the resources. 	
<i>Output definition</i>	All the topics in the database are listed	
<i>Remarks</i>	If there are no topics in the database, a proper message is displayed.	

<i>Name</i>	Search Topic	GEN 6.0-P
<i>Goal</i>	Display a list of topics based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a TOPIC RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills in a valid criteria in the search field. 2. The user clicks on the search button. 3. The user is displayed a TOPIC RESULT page listing all the topics matching his criteria. 	
<i>Result Definition</i>	A list of topics is displayed based on the search criteria.	
<i>Remarks</i>		

<i>Name</i>	Search Topic	GEN 6.0-N
<i>Goal</i>	Display a list of topics based on criteria.	
<i>Participating actors</i>	User	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Precondition</i>	
<i>Test Type</i>	Negative
<i>Event flow</i>	<p>The User is at a TOPIC RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills in a invalid criteria in the search field. 2. The user clicks on the search button. 3. The user is displayed a TOPIC RESULT page listing all the topics matching his criteria.
<i>Result Definition</i>	No list of topics is displayed, with a proper message.
<i>Remarks</i>	

<i>Name</i>	View Topic	GEN 7.0-P
<i>Goal</i>	Shows the contents and description of a topic	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a TOPIC RESULT page.</p> <ol style="list-style-type: none"> 1. The user clicks on the name of a listed resource. 2. The system displays the corresponding content en description of the resource on a TOPIC page <p>The User is at a page containing a topic link.</p> <ol style="list-style-type: none"> 1. The user clicks on link of the displayed resource. 2. The system displays the corresponding content en description of the resource on a TOPIC page <p>A TOPIC page contains the list of resource + the meta information</p>	
<i>Output definition</i>	A TOPIC page is displayed with proper information.	
<i>Remarks</i>	Check the method for implementation of the TOPIC page. If GET method is used for accessing the Topic ID from the URL, then try to provide an invalid Topic ID, and see the results.	

<i>Name</i>	View Course List	GEN 8.0-P
<i>Goal</i>	View all the courses in the system	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at the HOME page.</p> <ol style="list-style-type: none"> 1. The user clicks on the Browse button. 2. The user is displayed the BROWSE page. 3. The user selects the "Courses" Button 4. The user is displayed a COURSES RESULT page listing all the resources. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Output definition</i>	A list of courses is displayed in the COURSES RESULT page. Or proper message if there are no courses in the database.
<i>Remarks</i>	

<i>Name</i>	Search Course	GEN 9.0-P
<i>Goal</i>	Display a list of course based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a COURSES RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills valid criteria in the search field. 2. The user clicks on the search button. 3. The user is displayed a COURSES RESULT page listing all the resources matching his criteria. 	
<i>Output definition</i>	A list of courses is displayed in the COURSES RESULT page, based on the search criteria.	

<i>Name</i>	Search Course	GEN 9.0-N
<i>Goal</i>	Display a list of course based on criteria.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>The User is at a COURSES RESULT page.</p> <ol style="list-style-type: none"> 1. The user fills invalid criteria in the search field. 2. The user clicks on the search button. 3. The user is displayed a COURSES RESULT page, with a proper message "No Records Found". 	
<i>Output definition</i>	An empty COURSES RESULT page with a proper message is displayed to the user.	

<i>Name</i>	View Course	GEN 10.0-P
<i>Goal</i>	Shows the contents and description of a course	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a COURSE RESULT page.</p> <ol style="list-style-type: none"> 1. The user clicks on the name of a listed resource. 2. The system displays the corresponding content en description of the resource on a COURSE page. <p>The User is at a page containing a course link.</p> <ol style="list-style-type: none"> 1. The user clicks on link of the displayed resource. 2. The system displays the corresponding content en 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	description of the resource on a COURSE page. A COURSE page contains the resources content + the meta information (see course Properties, Section)
<i>Remarks</i>	Check the method for implementation of the COURSE RESULT page. If GET method is used for accessing the Course ID from the URL, then try to provide an invalid Course ID, and see the results.

<i>Name</i>	Use flashcard set	GEN 11.0 P
<i>Goal</i>	To use flashcard set and study	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>The User is at a PUBLIC page.</p> <ol style="list-style-type: none"> 6. The user clicks on “Browse”. 7. The user selects “Topics” button. 8. The user is displayed TOPIC RESULT. 9. The user selects one topic. 10. The user selects flashcard set from the list. 11. The system displays flashcards from that flashcard set to user. 	
<i>Output definition</i>	The user views flashcards from the flashcard set and can study them.	
<i>Remarks</i>		

<i>Name</i>	Search for flashcard sets	GEN 12.0-P
<i>Goal</i>	To find flashcard sets by some criteria	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Event flow</i>	<p>The User is at a SHARE page.</p> <ol style="list-style-type: none"> 1. The user clicks on “Flashcards” link. 2. The user fills in valid criteria in the search field (that should return at least one result). 3. The user clicks on the search button. 4. The user is displayed a FLASHCARD RESULT page listing all the flashcards matching his criteria. <p>The user views flashcards from the flashcard set and can study them.</p>	
<i>Results</i>	The user views flashcards from the flashcard set and can study them	
<i>Remarks</i>	<p>Alternatives</p> <ul style="list-style-type: none"> • Check pagination • Check sorting of the search results • Check Empty field results 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Search for flashcard sets	GEN 12.0-N
<i>Goal</i>	To find flashcard sets by some criteria	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Type</i>	Negative	
<i>Event flow</i>	<p>The User is at a SHARE page.</p> <ol style="list-style-type: none"> 5. The user clicks on “Flashcards” link. 6. The user fills in in-valid criteria in the search field (that should not return any result). 7. The user clicks on the search button. 8. The user is displayed a FLASHCARD RESULT page with a proper notification of no results. 	
<i>Results</i>	User is notified with a proper message “No results matched”.	
<i>Remarks</i>	<p>Alternative</p> <ul style="list-style-type: none"> • Check pagination • Check sorting of the search results • Check Empty field results 	

<i>Name</i>	Perform Exercise	GEN 13.0-P
<i>Goal</i>	Perform and exercise about a topic, resource or course, and get an result.	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>The User is at the HOME page.</p> <ol style="list-style-type: none"> 1. The user clicks on “Learn” link. 2. The learn page is shown, providing a search field. 3. The user searches for a topic using the search field. 4. The user selects a topic to views his courses. 5. The user selects one of the related courses. 6. The user selects one of the available exercises. 7. An EXERCISE page is shown. 8. The user answers questions about exercises. 9. When the user submits, the EXERCISE RESULT page is shown, showing result and scores. 	
<i>Results</i>	Exercise is processed, and results are displayed to the user. If the user is logged on, the result of the exercise is stored in the system for later usage.	
<i>Remarks</i>	<p>Alternatives</p> <ul style="list-style-type: none"> • Client side verification of data entry & other options. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	<ul style="list-style-type: none"> • Check entry into database. • Confirm Exercise questions are random not fixed
--	---

<i>Name</i>	Answer Question	GEN 13.1-P
<i>Goal</i>	Answer questions presented by exercise	
<i>Participating actors</i>	User	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>The User is at an EXCERCISE page.</p> <ol style="list-style-type: none"> 1. The user is shown a list of multiple choice questions. 2. The user selects the answers of his choice 3. The user submits the exercise. 4. The user is shown the result page. 	
<i>Results</i>	The user answers are processed and results are shown.	
<i>Remarks</i>	<p>Alternatives</p> <ul style="list-style-type: none"> • Client side authentication. • Database authentication • Questions are displayed randomly. 	

9.1.2 Test Cases for Registered User

<i>Name</i>	Create flashcard set	REG 1.0-P
<i>Goal</i>	Add a new flashcard set to the system.	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>User is at the HOME page.</p> <ol style="list-style-type: none"> 1. User clicks on the “My Content” button. 2. User is displayed the MY CONTENT page. 3. User clicks the “Add new flashcard set” Button 4. User is displayed an empty EDIT FLASHCARD SET page containing the required fields. 5. User fills in information about the new flashcard set. 6. User clicks on submit button 7. The system shows the User the FLASHCARD SET page showing the newly added flashcard set. 	
<i>Results</i>	A new flashcard set is created in the system.	
<i>Remarks</i>	<p>Alternatives</p> <ul style="list-style-type: none"> • Check for invalid input. • Confirm entry into database. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Edit flashcard set	REG 1.1
<i>Goal</i>	Edit an existing flashcard set description.	
<i>Participating actors</i>	Registered user, must be owner of that set	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>User is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Edit” button next to the chosen flashcard set. 2. User is displayed an EDIT FLASHCARD SET page containing the required fields, each filled in with information. <ol style="list-style-type: none"> a. ADD FLASHCARD TO SET (REG 2.0) b. EDIT FLASHCARD FROM SET (REG 2.1) c. REMOVE FLASHCARD FROM SET (REG 2.2) 3. User updates information about the flashcard set. 4. User clicks on submit button 5. The system shows the User the FLASHCARD SET page showing the edited flashcard set. 	
<i>Results</i>	The existing flashcard set is updated in the system	
<i>Remarks</i>	Alternative Testing <ul style="list-style-type: none"> • Check for invalid entry. 	

<i>Name</i>	Remove flashcard set	REG 1.2
<i>Goal</i>	Remove a flashcard set from the system	
<i>Participating actors</i>	Registered user, must be owner of that set	
<i>Precondition</i>	The flashcard set contains no flashcards	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>User is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Remove” button next to the chosen flashcard set. 2. User is displayed dialog containing a confirmation question about removing the flashcard set. 3. User clicks on confirm button 4. The system shows the User the MY CONTENT page. 	
<i>Results</i>	The flashcard set is removed from the system	
<i>Remarks</i>	Alternative Test case <ul style="list-style-type: none"> • Delete Flashcard set that contain flashcards. • Check database • Using the internet browser back button, browse to the previous page from where you just remove the flashcard set. And remove the same flashcard set again. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Share flashcard set	REG 1.3
<i>Goal</i>	To share flashcard set with others.	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>User is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Edit” button next to the chosen flashcard set. 2. User is displayed an EDIT FLASHCARD SET page containing the required fields, each filled in with information. 3. User sets property Public to true. 4. User clicks on submit button 5. The system shows the User the FLASHCARD SET page showing the edited flashcard set. 	
<i>Results</i>	Flashcard set is now available to every user.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Confirm test results carefully with different users logged in. 	

<i>Name</i>	Un-share flashcard set	REG 1.3-N
<i>Goal</i>	To un-share flashcard set with others.	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Negative	
<i>Event flow</i>	<p>User is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Edit” button next to the chosen flashcard set. 2. User is displayed an EDIT FLASHCARD SET page containing the required fields, each filled in with information. 3. User sets property Public to false. 4. User clicks on submit button 5. The system shows the User the FLASHCARD SET page showing the edited flashcard set. 	
<i>Results</i>	Flashcard set is not available to every user.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Confirm test results carefully with different users logged in. 	

<i>Name</i>	Add flashcard to set	REG 2.0
<i>Goal</i>	To add the new flashcard to existing flashcard set.	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Type</i>	Positive
<i>Event flow</i>	<p>User is at the EDIT FLASHCARD SET page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Add flashcard”. 2. User is displayed an empty EDIT FLASHCARD page containing the required fields. 3. User enters valid information about the flashcard. 4. User clicks on submit button 5. The system shows the user the EDIT FLASHCARD SET page showing the added Flashcard in list.
<i>Results</i>	The new flashcard is added to the flashcard set.
<i>Remarks</i>	

<i>Name</i>	Add flashcard to set	REG 2.0
<i>Goal</i>	To add the new flashcard to existing flashcard set.	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Negative	
<i>Event flow</i>	<p>User is at the EDIT FLASHCARD SET page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Add flashcard”. 2. User is displayed an empty EDIT FLASHCARD page containing the required fields. 3. User enters invalid information about the flashcard. 4. User clicks on submit button 5. The system shows the user the EDIT FLASHCARD SET page showing the added Flashcard in list. 	
<i>Results</i>	The new flashcard is added to the flashcard set.	
<i>Remarks</i>		

<i>Name</i>	Edit flashcard	REG 2.1
<i>Goal</i>	To edit specific flashcard from flashcard set	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>User is at the EDIT FLASHCARD SET page.</p> <ol style="list-style-type: none"> 1. User clicks on the “Edit flashcard” button next to the selected flashcard. 2. User is displayed EDIT FLASHCARD page containing the required fields filled with data. 3. User updates information about the flashcard. 4. User clicks on submit button 5. The system shows the User the EDIT FLASHCARD SET page with edited Flashcard in list. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Results</i>	The flashcard from the flashcard set is edited.
<i>Remarks</i>	Alternative Test cases <ul style="list-style-type: none"> • Check for invalid data entries.

<i>Name</i>	Remove flashcard from set	REG 2.2
<i>Goal</i>	To remove specific flashcard from flashcard set	
<i>Participating actors</i>	Registered user	
<i>Precondition</i>	The user is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	User is at the EDIT FLASHCARD SET page. <ol style="list-style-type: none"> 1. User clicks on the “Remove flashcard” button next to the selected flashcard. 2. User is displayed dialog containing a confirmation question about removing the flashcard from set. 3. User clicks on confirm button 4. The system shows the User the EDIT FLASHCARD SET. 	
<i>Results</i>	The flashcard is removed from the flashcard set.	
<i>Remarks</i>		

9.1.3 Test Cases for Student

<i>Name</i>	Create personal note about resource	STD 1.0
<i>Goal</i>	Add new note about resource	
<i>Participating actors</i>	Student	
<i>Precondition</i>	The student is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	Student is at the HOME page. <ol style="list-style-type: none"> 1. Student clicks on the “Browse” button. 2. Student is displayed the BROWSE page. 3. Student clicks the “Resource” Button 4. Student is displayed a RESOURCES RESULT page listing all the resources. 5. Student selects Resource from the grid. 6. Student is displayed selected RESOURCE page. 7. Student clicks on “Add note” button. 8. Student is displayed empty EDIT NOTE page containing the required fields. <ol style="list-style-type: none"> 1. Student fills in valid information about the new note. 2. Student clicks on submit button 3. The system shows the Student the RESOURCE page showing the newly added note. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Results</i>	A new note is created in the system
<i>Remarks</i>	Alternatives <ul style="list-style-type: none"> • Check for invalid entry • & client side authentication

<i>Name</i>	Create personal note about resource	STD 1.0
<i>Goal</i>	Add new note about resource	
<i>Participating actors</i>	Student	
<i>Precondition</i>	The student is logged in.	
<i>Type</i>	Negative	
<i>Event flow</i>	Student is at the HOME page. <ol style="list-style-type: none"> 1. Student clicks on the “Browse” button. 2. Student is displayed the BROWSE page. 3. Student clicks the “Resource” Button 4. Student is displayed a RESOURCES RESULT page listing all the resources. 5. Student selects Resource from the grid. 6. Student is displayed selected RESOURCE page. 7. Student clicks on “Add note” button. 8. Student is displayed empty EDIT NOTE page containing the required fields. 9. Student fills in invalid information about the new note. 10. Student clicks on submit button 	
<i>Results</i>	The system shows the error messages to the user. No record is entered into the database.	
<i>Remarks</i>	Alternatives <ul style="list-style-type: none"> • Check for invalid entry • & client side authentication 	

<i>Name</i>	Edit Note about Resource	STD 1.1
<i>Goal</i>	Edit an existing notes description.	
<i>Participating actors</i>	Student	
<i>Precondition</i>	The student is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	Student is at the RESOURCES RESULT page. <ol style="list-style-type: none"> 1. Student clicks on one resource from the grid. 2. Student clicks on the “Edit” button next to the chosen note on RESOURCE page. 3. Student is displayed an EDIT NOTE page containing the required fields, each filled in with information. 4. Student updates information about the note. 5. Student clicks on submit button 6. The system shows the Student the RESOURCE page showing the edited note. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Results</i>	The existing note is updated in the system.
<i>Remarks</i>	Alternative <ul style="list-style-type: none"> • Check for invalid data. • Check for client side authentication.

<i>Name</i>	Remove Note from Resource	STD 1.2
<i>Goal</i>	Remove a note from the resource	
<i>Participating actors</i>	Student	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	Student is at the RESOURCE page. <ol style="list-style-type: none"> 1. Student clicks on the “Remove” button next to the chosen note. 2. Student is displayed dialog containing a confirmation question about removing the note. 3. Student clicks on confirm button 4. The system shows the Student the RESOURCE page. 	
<i>Results</i>	The note is removed from the resource.	
<i>Remarks</i>	Alternative Test Case <ul style="list-style-type: none"> • Check database • Try to remove the entry that is already removed (using browser back button) 	

<i>Name</i>	Print Note from the Resource	STD 1.3
<i>Goal</i>	To send note to the printer	
<i>Participating actors</i>	Student	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	Student is at the RESOURCE page. <ol style="list-style-type: none"> 1. Student clicks on the “Print” button next to the chosen note. 2. Student is displayed dialog containing a confirmation dialog about printing note. 3. Student clicks that it is ok to print note. 4. The system sends file to the printer. 5. The system shows the student the RESOURCE page. 	
<i>Results</i>	The note is printed to the paper.	
<i>Remarks</i>		

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Print Note from the Resource	STD 1.3
<i>Goal</i>	To send note to the printer	
<i>Participating actors</i>	Student	
<i>Precondition</i>		
<i>Type</i>	Negative	
<i>Event flow</i>	<p>Student is at the RESOURCE page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Print” button next to the chosen note. 2. Student is displayed dialog containing a confirmation dialog about printing note. 3. Student clicks that it is ok to print note. 4. The system shows a proper message “printer is not attached”. 	
<i>Results</i>	No note is printed to the paper. Proper message is displayed to the user	
<i>Remarks</i>		

<i>Name</i>	Create Note about topic	STD 2.0
<i>Goal</i>	Add new note about topic	
<i>Participating actors</i>	Student	
<i>Precondition</i>	The student is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Student is at the HOME page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Browse” button. 2. Student is displayed the BROWSE page. 3. Student clicks the “Topic” Button 4. Student selects Topic from the grid. 5. Student is displayed selected TOPIC page. 6. Student clicks on “Add note” button. 7. Student is displayed empty EDIT NOTE page containing the required fields. 8. Student fills in valid information about the new note. 9. Student clicks on submit button 10. The system shows the Student the TOPIC page showing the newly added note. 	
<i>Results</i>	A new note is created in the system	
<i>Remarks</i>	<p>Alternative test cases</p> <ul style="list-style-type: none"> • Check for valid entry. • Check for local authentication of form fields. • Check the entry into the database. 	

<i>Name</i>	Edit Note about topic	STD 2.1
-------------	------------------------------	----------------

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Goal</i>	Edit an existing notes description.
<i>Participating actors</i>	Student
<i>Precondition</i>	The student is logged in.
<i>Type</i>	Positive
<i>Event flow</i>	<p>Student is at the TOPIC page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Edit” button next to the chosen note. 2. Student is displayed an EDIT NOTE page containing the required fields, each filled in with information. 3. Student updates information about the note. 4. Student clicks on submit button 5. The system shows the Student the TOPIC page showing the edited note.
<i>Results</i>	The existing note is updated in the system.
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for invalid entry • Check entry into the database • Check local authentication of the form fields.

<i>Name</i>	Remove Note from topic	STD 2.2
<i>Goal</i>	Remove a note from the topic	
<i>Participating actors</i>	Student	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Student is at the TOPIC page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Remove” button next to the chosen note. 2. Student is displayed dialog containing a confirmation question about removing the note. 3. Student clicks on confirm button 4. The system shows the Student the TOPIC page. 	
<i>Results</i>	The note is removed from the resource. And a proper message is displayed to the user.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Remove the already deleted note, using browser back button. • Check database to confirm the entry removal. 	

<i>Name</i>	Print Note from the Topic	STD 2.3
<i>Goal</i>	To send note to the printer	
<i>Participating actors</i>	Student	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Precondition</i>	
<i>Type</i>	Positive
<i>Event flow</i>	<p>Student is at the TOPIC page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Print” button next to the chosen note. 2. Student is displayed dialog containing a confirmation dialog about printing note. 3. Student clicks that it is ok to print note. 4. The system sends file to the printer. 5. The system shows the student the TOPIC page.
<i>Results</i>	The note is printed to the paper.
<i>Remarks</i>	

<i>Name</i>	Subscribe to Course	STD 3.0
<i>Goal</i>	Subscribe student to specific course	
<i>Participating actors</i>	Student	
<i>Precondition</i>	The student is logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Student is at the HOME page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Browse” button. 2. Student is displayed the BROWSE page. 3. Student clicks the “Course” Button 4. The system shows the Student COURSE RESULT page with all courses. 5. Student clicks on the “Subscribe” button next to the Course from the list. 6. The system shows the Student the COURSE RESULT page showing the newly added subscription. 	
<i>Results</i>	A new subscription is created in the system	
<i>Remarks</i>		

<i>Name</i>	Unsubscribe from Course	STD 3.1
<i>Goal</i>	Subscribe student to specific course	
<i>Participating actors</i>	Student	
<i>Precondition</i>	Student must be logged in and subscribed to the course.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Student is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Remove” button next to the chosen subscription. 2. Student is displayed dialog containing a confirmation question about removing the subscription. 3. Student clicks on confirm button 4. The system shows the Student the MY CONTENT 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	page.
<i>Results</i>	The existing subscription is removed from the system.
<i>Remarks</i>	<ul style="list-style-type: none"> • Check the subscription list for the course. • Check removal on entry from database. • Check the course link manually (copy & paste) to check student subscription.

<i>Name</i>	Signal errors in Resource	STD 4.0
<i>Goal</i>	To signalize error to the owner of the specific resource	
<i>Participating actors</i>	Student	
<i>Precondition</i>	Student must be logged in.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Student is at the RESOURCE page.</p> <ol style="list-style-type: none"> 1. Student clicks on the “Signal error” button on the RESOURCE page. 2. Student is displayed dialog where message for teacher about the error can be entered. 3. Student clicks on confirm button 4. The system shows the Student the RESOURCE page. 	
<i>Results</i>	The error message is sent to teachers email.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Client side Form validation. • Check entry into the database. 	

9.1.4 Test Cases for Teachers

<i>Name</i>	Create Topic	TCH 1.0-P
<i>Goal</i>	Test case to add a new topic to the system.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 8. Teacher clicks on the “My Content” button. 9. Teacher is displayed the MY CONTENT page. 10. Teacher clicks the “Add topic” Button 11. Teacher is displayed an empty EDIT TOPIC page containing the required fields. 12. Teacher fills in information about the new topic. 13. Teacher clicks on submit button 14. The system shows the Teacher the TOPIC page showing the newly added topic. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	A new topic is created in the system
<i>Output definition</i>	A message is displayed showing “Topic created successfully”. And new record is inserted into the database
<i>Remarks</i>	

<i>Name</i>	Create Topic	TCH 1.0-N
<i>Goal</i>	Test case to add a new topic to the system.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “My Content” button. 2. Teacher is displayed the MY CONTENT page. 3. Teacher clicks the “Add topic” Button 4. Teacher is displayed an empty EDIT TOPIC page containing the required fields. 5. Teacher fills in invalid information about the new topic. (Enter Topic already exist) 6. Teacher clicks on submit button <p>A error message is displayed.</p>	
<i>Output definition</i>	A message is displayed showing “Topic already exists”. And no record is added to the database.	
<i>Remarks</i>	<p>Alternative</p> <ul style="list-style-type: none"> • Check for client side validation 	

<i>Name</i>	Edit Topic	TCH 1.1-P
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 6. Teacher clicks on the “Edit” button next to the chosen topic. 7. Teacher is displayed an EDIT TOPIC page containing the required fields, each filled in with information. 8. Teacher updates information about the topic. 9. Teacher clicks on submit button 10. The system shows the Teacher the TOPIC page showing the edited topic. <p>The existing topic is updated in the system</p>	
<i>Output definition</i>	A success message is displayed “Successfully update the topic” And the current topic is updated in the database.	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

Remarks	
---------	--

<i>Name</i>	Edit Topic	TCH 1.1-N
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “Edit” button next to the chosen topic. 2. Teacher is displayed an EDIT TOPIC page containing the required fields, each filled in with information. 3. Teacher updates information about the topic. (update the topic name, that is similar to another topic) 4. Teacher clicks on submit button <p>The system displays an error message.</p>	
<i>Output definition</i>	An error message is generated, and no record is updated in the database.	
<i>Remarks</i>		

<i>Name</i>	Remove Topic	TCH 1.2-P
<i>Goal</i>	Remove a topic from the system	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The topic contains no resource	
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 5. Teacher clicks on the “Remove” button next to the chosen topic. 6. Teacher is displayed dialog containing a confirmation question about removing the topic. 7. Teacher clicks on confirm button 8. The system shows the Teacher the MY CONTENT page. <p>The topic is removed from the system</p>	
<i>Output definition</i>	The Topic record is deleted from the database, and a confirmation message is displayed to the user.	
<i>Remarks</i>		

<i>Name</i>	Create Resource	TCH 2.0-P
<i>Goal</i>	Add a new resource to the system.	
<i>Participating actors</i>	Teacher	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Precondition</i>	The teacher is logged in.
<i>Test Type</i>	Positive
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 6. Teacher clicks on the “My Content” button. 7. Teacher is displayed the MY CONTENT page. 8. Teacher clicks the “Add resource” Button 9. Teacher is displayed an empty EDIT RESOURCE page containing the required fields. 10. Teacher fills in information about the new resource. 11. Teacher uploads a file, or adds a text, or adds a URL 12. Teacher clicks on submit button 13. The system shows the Teacher the RESOURCE page showing the newly added topic. <p>A new resource is created in the system. The resource is added to the default topic “uncategorized”.</p>
<i>Output definition</i>	The resource record is inserted into the database, and a confirmation message is displayed to the teacher.
<i>Remarks</i>	

<i>Name</i>	Create Resource	TCH 2.0-N
<i>Goal</i>	Add a new resource to the system.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “My Content” button. 2. Teacher is displayed the MY CONTENT page. 3. Teacher clicks the “Add resource” Button 4. Teacher is displayed an empty EDIT RESOURCE page containing the required fields. 5. Teacher fills in already existed information for the new resource. 6. Teacher uploads a file, or adds a text, or adds a URL 7. Teacher clicks on submit button <p>An error message is generated by the system.</p>	
<i>Output definition</i>	An error message is generated, and the resource record is not inserted into the database.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for client side authentication. 	

<i>Name</i>	Edit Resource	TCH 2.1-P
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Test Type</i>	Positive
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 6. Teacher clicks on the “Edit” button next to the chosen resource. 7. Teacher is displayed an EDIT RESOURCE page containing the required fields, each filled in with information. 8. Teacher updates valid information about the resource. <ol style="list-style-type: none"> a. Optional: Teacher uploads a file, or changes a text, or changes a URL 9. Teacher clicks on submit button 10. The system shows the Teacher the RESOURCE page showing the edited resource. <p>The existing resource is updated in the system</p>
<i>Output definition</i>	The record is updated in the database, and the confirmation message is generated.
<i>Remarks</i>	

<i>Name</i>	Edit Resource	TCH 2.1-N
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “Edit” button next to the chosen resource. 2. Teacher is displayed an EDIT RESOURCE page containing the required fields, each filled in with information. 3. Teacher updates invalid information about the resource (name already exist). 4. Teacher clicks on submit button <p>Error message is displayed.</p>	
<i>Output definition</i>	An error message is displayed and no record is updated in the database.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Client side authentication check. 	

<i>Name</i>	Remove Resource	TCH 2.2
<i>Goal</i>	Remove a resource from the system	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>		
<i>Test Type</i>	Positive	
<i>Event flow</i>	Teacher is at the MY CONTENT page.	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	<ol style="list-style-type: none"> 1. Teacher clicks on the “Remove” button next to the chosen resource. 2. Teacher is displayed dialog containing a confirmation question about removing the resource. 3. Teacher clicks on confirm button 4. The system shows the Teacher the MY CONTENT page. <p>The resource is removed from the system</p>
<i>Result definition</i>	A success message is displayed. And the resource is removed from the database.
<i>Remarks</i>	If we try to delete item, which is not present in the database.

<i>Name</i>	Create Course	TCH 3.0-P
<i>Goal</i>	Add a new course to the system.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 4. Teacher clicks on the “My Content” button. 5. Teacher is displayed the MY CONTENT page. 6. Teacher clicks the “Add resource” Button 7. Teacher is displayed an empty EDIT COURSE page containing the required fields. 8. Teacher fills in valid information about the new course. 9. Teacher clicks on submit button 10. The system shows the Teacher the COURSE page showing the newly added topic. <p>A new course is created in the system.</p>	
<i>Output definition</i>	Success message is displayed. New Course is created in the database	
<i>Remarks</i>	<ul style="list-style-type: none"> • Course already exists • Invalid data in fields (empty fields) (mismatch types in fields) etc 	

<i>Name</i>	Create Course	TCH 3.0-N
<i>Goal</i>	Add a new course to the system.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test Type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the HOME page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “My Content” button. 2. Teacher is displayed the MY CONTENT page. 3. Teacher clicks the “Add resource” Button 4. Teacher is displayed an empty EDIT COURSE page 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	<p>containing the required fields.</p> <ol style="list-style-type: none"> 5. Teacher fills in invalid information about the new course. 6. Teacher clicks on submit button <p>A new course is generated.</p>
<i>Output definition</i>	Error message is displayed and there is no effect on the database.
<i>Remarks</i>	

<i>Name</i>	Edit Course	TCH 3.1-P
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “Edit” button next to the chosen course. 2. Teacher is displayed an EDIT COURSE page containing the required fields, each filled in with information. 3. Teacher updates information about the course. 4. Teacher clicks on submit button 5. The system shows the Teacher the COURSE page showing the edited resource. <p>The existing course is updated in the system</p>	
<i>Output definition</i>	The course is updated in the database, and confirmation message is displayed.	

<i>Name</i>	Edit Course	TCH 3.1-N
<i>Goal</i>	Edit an existing topics description.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The teacher is logged in.	
<i>Test type</i>	Negative	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 6. Teacher clicks on the “Edit” button next to the chosen course. 7. Teacher is displayed an EDIT COURSE page containing the required fields, each filled in with information. 8. Teacher updates invalid information about the course (Same name to another course). 9. Teacher clicks on submit button. <p>Error message is generated by the system.</p>	
<i>Output definition</i>	An error message is displayed to the user, no records are updated in the database.	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Remove Course	TCH 3.2-P
<i>Goal</i>	Remove a course from the system	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	The course contains no resources	
<i>Test Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the “Remove” button next to the chosen course. 2. Teacher is displayed dialog containing a confirmation question about removing the course. 3. Teacher clicks on confirm button 4. The system shows the Teacher the MY CONTENT page. <p>The course is removed from the system</p>	
<i>Output definition</i>	The course is removed from the database, and confirmation message is displayed.	
<i>Remarks</i>		

<i>Name</i>	Create Exercise	TCH 6.0
<i>Goal</i>	Create a new exercise	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	Teacher has an existing course. And teacher is logged in	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher selects a course. 2. Teacher is shown the COURSE page 3. Teacher clicks on the create exercise button 4. Teacher is displayed a CREATE NEW EXERCISE page form, containing name and descriptions fields. 5. Teacher fills in required valid information. 6. Using AJAX, teacher can add multiple choice questions to the exercise. 7. When finished, Teacher clicks on confirm button 8. The system shows the Teacher the COURSE page. 	
<i>Results</i>	The exercise is saved in the system.	
<i>Remarks</i>		

<i>Name</i>	Create Exercise	TCH 6.0
<i>Goal</i>	Create a new exercise	
<i>Participating actors</i>	Teacher	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Precondition</i>	Teacher has an existing course. And teacher is logged in
<i>Type</i>	Negative
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher selects a course. 2. Teacher is shown the COURSE page 3. Teacher clicks on the create exercise button 4. Teacher is displayed a CREATE NEW EXERCISE page form, containing name and descriptions fields. 5. Teacher fills in required in valid information. 6. Teacher add multiple choice questions to the exercise. 7. When finished, Teacher clicks on confirm button 8. The system shows the Teacher a proper error message.
<i>Results</i>	The error message is displayed to the user. No record are inserted into the system.
<i>Remarks</i>	

<i>Name</i>	Add Question	TCH 6.1
<i>Goal</i>	Create a new question for a exercise	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>		
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the CREATE NEW EXERCISE page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on add questions button 2. Teacher is shown the add question form, using AJAX 3. Teacher fills in question and possible answers. 4. Teacher selects good answer. 5. Teacher clicks on add question button. 6. The form is submitted using AJAX 7. The question is shown on the exercise page using AJAX 	
<i>Results</i>	The question is saved in the system.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Invalid entry into the fields 	

<i>Name</i>	Edit Exercise	TCH 7.0
<i>Goal</i>	Create a new exercise	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	Teacher has an existing course.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher selects the exercise. 2. Teacher is shown the EXERCISE page, the description 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

	<p>is a form.</p> <ol style="list-style-type: none"> 3. Teacher modifies the content of the form. 4. Teacher submits the form. 5. Teacher is shown the EXERCISE page
<i>Results</i>	The updated exercise is saved in the system.
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for invalid entry into the fields.

<i>Name</i>	Edit Question	TCH 7.1
<i>Goal</i>	Modify the content of a question	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	An exercise contains questions	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher selects the exercise. 2. Teacher is shown the EXERCISE page, each question is a form. 3. Teacher modifies the content of the form. 4. Teacher submits the form. 5. Teacher is shown the EXERCISE page 	
<i>Results</i>	The updated question is saved in the system.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for invalid entry. 	

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

<i>Name</i>	Remove Question	TCH 7.2
<i>Goal</i>	Remove a question from an exercise.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	An exercise contains questions	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher selects the exercise. 2. Teacher is shown the EXERCISE page 3. Teacher clicks on the remove button next to a question. 4. A dialog appears, questioning if the question really needs to be removed. 5. Teacher answers yes. 6. Teacher is shown the EXERCISE page, now without the question. 	
<i>Results</i>	The question is removed from the system.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for already deleted question, using the back button of the browser. 	

<i>Name</i>	Remove Exercise	TCH 8.0
<i>Goal</i>	Remove an exercise.	
<i>Participating actors</i>	Teacher	
<i>Precondition</i>	An exercise exists.	
<i>Type</i>	Positive	
<i>Event flow</i>	<p>Teacher is at the MY CONTENT page.</p> <ol style="list-style-type: none"> 1. Teacher clicks on the remove button, next to an exercise. 2. A dialog appears, questioning if the exercise really needs to be removed. 3. Teacher answers yes. 4. Teacher is shown the MY CONTENT page, now without the exercise. 	
<i>Results</i>	The exercise is removed from the system, along with it's questions.	
<i>Remarks</i>	<ul style="list-style-type: none"> • Check for already deleted exercise, using the back button of the browser. 	

9.2 Test plan

The test cases are divided into different members of the team to run all them, after that a report is generated and found bugs are assigned to the respected team members who is working in that part of the system, moreover we are also doing the following;

Taraxacum	Version: 1.0
Acceptance Test Plan	Date: 2011-12-15

1. Watir framework is used to automate all the test cases along with manual testing.
2. The developers are unit testing to automate code testing.
3. Test results are documented to know the latest status about bugs.

The testing objective is to make sure fully functional product fulfilling all the customer requirements and help to the developers.

10. Responsibilities

10.1 Developers

The development team is expected to fix all the discovered bugs during the testing and development phases of the project. Project management can decide to reject bugs if they are interfering with the project planning.

11. Risks and contingencies

The major risk is to test all the implemented functionalities at a good time margin so the developers have enough time to fix the bugs and errors before it gets late. But in our case we have/had the whole testing team which is continuously testing updated and new implemented requirements. In case of any bug/error, it is directly reported to development team to fix it immediately. This is continuous process in all the iterations through out Taraxacum development lifecycle.

12. Approvals

Name	Title	Date yyyy-mm-dd	Signature