



Taxi Service Requirements Specification

Version 1.0

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Revision History

Date	Version	Description	Author
2012-11-01	0.1	Initial Draft	DSD
2012-11-02	0.2	Chapters 1, 2 Draft	Marko Coha
2012-11-02	0.3	Chapter 3 Draft	Luca Zangari
2012-11-02	0.4	Chapters 5,6 Draft	Igor Piljić
2012-11-02	0.5	Chapter 4 Draft	Leon Dragić
2012-11-02	1.0	First version finalized	Igor Piljić

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Table of Contents

1.	Introduction	4
1.1	Purpose of this document	4
1.2	Intended Audience	4
1.3	Scope	4
1.4	Definitions and acronyms	4
1.4.1	Definitions	4
1.4.2	Acronyms and abbreviations	4
1.5	References	4
2.	Overall Description	5
2.1	Product Perspective	5
2.2	Product Functions	5
2.3	User Characteristics	5
2.4	Constraints	5
3.	Requirements Description	6
3.1	Introduction	6
3.2	General requirements	6
3.3	Functional requirements	6
3.4	Non-functional requirements	6
4.	Use Cases	7
4.1	Taxi UC	7
4.1.1	Use case “change status”	7
4.1.2	Use case “send current GPS location”	7
4.1.3	Use case “apply for taxi registration”	8
4.2	Server UC	9
4.2.1	Use case “manage queues”	9
4.2.2	Use case “determine taxi zone”	9
4.2.3	Use case “determine customer location”	10
4.2.4	Use case “assign a taxi to the customer order”	10
4.2.5	Use case “send taxi info”	10
4.2.6	Use case “update taxi status”	11
4.2.7	Use case “register a taxi”	11
4.3	Customer UC	12
4.3.1	Use case “order a taxi”	12
4.3.2	Use case “order a taxi”	12
5.	Requirements Definition	14
5.1	Requirement Group Definitions	14
5.2	Requirement Sources	14
5.3	Requirement definitions	15
5.3.1	Change Log	16
6.	Future Development	16

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

1. Introduction

1.1 Purpose of this document

This document contains all the requirements for the Taxi service project. It is defined after collecting all the necessary requirements in order to start the implementation process. These requirements may change, or new ones may be added, because of the iterative development process of this project. Any changes should be documented in one of the revisions of the document. All the prototypes and the final product should be based on this document.

1.2 Intended Audience

The requirements document should be used by all team members, the supervisor and the customers. Team members should use the document when implementing any of the features of the system, and all parts of the system should work as is described in this document. Requirements can be changed and new ones can be added, if requested by the supervisor or the customers, and this document should keep track of all the changes.

1.3 Scope

This document will describe all the requirements for the Taxi service project, the characteristics of future users and constraints that can influence implementation of the project. Interaction of the system with users will be described using use cases. Technical and implementation details will not be covered in this document.

1.4 Definitions and acronyms

1.4.1 Definitions

Keyword	Definitions
<i>UC</i>	<i>Use case</i>
<i>ETA</i>	<i>Estimated time of arrival</i>

1.4.2 Acronyms and abbreviations

Acronym or abbreviation	Definitions
<i>GPS</i>	<i>Global positioning system</i>

1.5 References

Taxi service website: http://www.fer.unizg.hr/rasip/dsd/projects/taxi_service

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

2. Overall Description

2.1 Product Perspective

This product is a standalone system, and, as such, is not a component of a larger system.

2.2 Product Functions

The main purpose of this product is to improve the organization of the taxi service in Milan. Using this product, the customers should be able to order a taxi to their current location, or a location of choice, and receive a confirmation of the order. Taxi drivers should be able to receive an order with a location, and change the status of a taxi accordingly. Taxis should be tracked at all times and put into zones, depending on their current location.

2.3 User Characteristics

There will be several types of users. Customers, or end-users, will use an Android application to order a taxi. This application should be designed in such a way that no educational level, experience and technical expertise will be required for use. Another type of users will be taxi drivers. They will use an Android application to receive orders and act on them. They should be proficient in using the application, so some education will be necessary. However, no technical expertise should be required and the application should be as simple as possible. Finally, the product will also be used by dispatchers. They will have to have some technical expertise and experience to efficiently coordinate all the drivers.

2.4 Constraints

Some limitations that should be taken into consideration are related to security and reliability of the system. The system should be designed in such a way that it's impossible for a third party to see or change data in any way. Such an intrusion could allow a third party to act as a taxi driver, and could cause significant loss for the taxi organization. Furthermore, the system should be available at all times, and resistant to database, network and other failures. Such an error could cause a loss of communication between taxi drives and dispatchers, and should be treated accordingly.

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

3. Requirements Description

3.1 Introduction

The purpose of this project is to provide a service that, using mobile applications, is able to manage the taxis in a metropolitan area and gives to the customers the possibility to book a taxi and obtain information about their bookings.

3.2 General requirements

The server side of the system must be constantly updated with Taxi position, in order to put every taxi in a different queue, belonging on different area in the city.

System must manage the calls and dispatch every call to the nearest queue with available taxi.

The client's applications should communicate with the server side using their internet connection.

3.3 Functional requirements

Mobile application for taxi user shall be able to:

- Communicate with the server side, sharing constantly current position and status
- Receive from the server side the booking requests, accept or decline it
- Receive information about the booked destination

Server shall be able to:

- Receive constantly the taxi positions and statuses
- Divide the city in different areas and make a queue for every area
- Maintain the queues up to date with the taxi positions and statuses
- Receive orders from customer clients, and dispatch them to the nearest queues

Mobile application for customer user shall be able to:

- Communicate with the server side, sending a booking request of a taxi
- Receive information about the booked taxi and its time of arrival

3.4 Non-functional requirements


- Mobile applications shall be developed for Android mobile platform
- Server application shall be developed using .Net technology
- Mobile application interface should be simple and user friendly
- The interfaces of communication should be simple and stable between the different components
- Server has to be able to work and communicate with large number of clients

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

4. Use Cases

4.1 Taxi UC

uc Taxi



4.1.1 Use case "change status"

Use case ID	TAXI1
Name	<i>Change status</i>
Goal	<i>Change current taxi status</i>
Participating actors	Taxi and server
Precondition	
Main scenario	<ol style="list-style-type: none"> 1. A customer stops a taxi which is roaming through the city 2. A taxi receives an order from the customer 3. A taxi changes its status from available to busy 4. When the order is done, taxi changes status back to free <ol style="list-style-type: none"> 1. Taxi updates status when is "on duty" 2. When taxi finishes with the working shift, updates status to "off duty"
Exceptions	<i>If there is no internet connection, taxi can't change its status</i>
Extensions	
Dependent UC	

4.1.2 Use case "send current GPS location"

Use case ID	TAXI2
Name	<i>Send current GPS location</i>
Goal	<i>Update the location of the taxi</i>

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Participating actors	Taxi and server
Precondition	The taxi needs to be "on duty"
Main scenario	1. <i>Taxi will send its GPS coordinates to the server every several seconds</i>
Exceptions	
Extensions	
Dependent UC	

4.1.3 Use case "apply for taxi registration"

Use case ID	TAXI3
Name	<i>Apply for taxi registration</i>
Goal	<i>Add new taxi to the system</i>
Participating actors	Taxi and server
Precondition	
Main scenario	1. <i>Before starting to work as taxi, taxi needs to apply for taxi registration</i>
Exceptions	<i>Taxi is already registered in the system Taxi registration is rejected</i>
Extensions	
Dependent UC	

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

4.2 Server UC

uc Server



4.2.1 Use case “manage queues”

Use case ID	SERVER1
Name	<i>Manage queues</i>
Goal	<i>Keep the queues for every city zone updated</i>
Participating actors	Server
Precondition	Change in the queue
Main scenario	<ol style="list-style-type: none"> 1. <i>When the taxi enters a new city zone, it is automatically put at the end of the virtual queue of that zone</i> 2. <i>Whenever a taxi from the queue goes to “busy” or “off duty” status, it is removed from the queue</i> 3. <i>The server notifies the taxi about its position in the queue</i>
Exceptions	
Extensions	
Dependent UC	

4.2.2 Use case “determine taxi zone”

Use case ID	SERVER2
-------------	---------

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Name	<i>Determine taxi zone</i>
Goal	<i>Assigns taxi to the appropriate zone</i>
Participating actors	Server and taxi
Precondition	Taxi has sent its GPS location
Main scenario	<ol style="list-style-type: none"> 1. <i>Server receives the GPS location of the taxi</i> 2. <i>Server determines the zone in which taxi currently is</i> 3. <i>Server sends the zone number to the taxi</i>
Exceptions	
Extensions	
Dependent UC	TAXI2

4.2.3 Use case “determine customer location”

Use case ID	SERVER3
Name	<i>Determine customer location</i>
Goal	<i>Determine the city zone of the customer</i>
Participating actors	Server
Precondition	Customer has made an order for the taxi
Main scenario	<ol style="list-style-type: none"> 1. <i>Server receives the customer order</i> 2. <i>Server determines the zone of the customer</i>
Exceptions	
Extensions	
Dependent UC	CUSTOMER1

4.2.4 Use case “assign a taxi to the customer order”

Use case ID	SERVER4
Name	<i>Assign a taxi to the customer order</i>
Goal	<i>Dispatch the first taxi in the queue to the customer</i>
Participating actors	Server and taxi
Precondition	The server has determined the customer zone
Main scenario	<ol style="list-style-type: none"> 1. <i>Server sends the customer order to the first taxi of the appropriate queue</i>
Exceptions	<i>Taxi refuses to take the order</i> <i>There is no taxis in the queue</i>
Extensions	
Dependent UC	SERVER3

4.2.5 Use case “send taxi info”

Use case ID	SERVER5
Name	<i>Send taxi info</i>
Goal	<i>Inform the customer about the taxi which will pick him up</i>
Participating actors	Server and customer
Precondition	The order has been assigned to a taxi
Main scenario	<ol style="list-style-type: none"> 1. <i>Server sends the information about taxi and ETA to the customer</i>
Exceptions	
Extensions	

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Dependent UC	SERVER4
--------------	---------

4.2.6 Use case “update taxi status”

Use case ID	SERVER6
Name	<i>Update taxi status</i>
Goal	<i>Update the status of the taxi on the server</i>
Participating actors	Server
Precondition	Taxi changed its status
Main scenario	<ol style="list-style-type: none"> 1. <i>Server receives the status change from taxi</i> 2. <i>Server updates the queue</i>
Exceptions	
Extensions	
Dependent UC	TAXI1


4.2.7 Use case “register a taxi”

Use case ID	SERVER7
Name	<i>Register a taxi</i>
Goal	<i>Add new taxi to the system</i>
Participating actors	Server
Precondition	Taxi had sent the application for registration
Main scenario	<ol style="list-style-type: none"> 1. <i>Server receives the application</i> 2. <i>Server adds taxi to the system</i>
Exceptions	<i>The taxi is already in the system</i> <i>The application is rejected</i>
Extensions	
Dependent UC	TAXI3

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

4.3 Customer UC

uc Costumer



4.3.1 Use case "order a taxi"

Use case ID	CUSTOMER1
Name	<i>Order a taxi</i>
Goal	<i>Order a taxi to customer location</i>
Participating actors	Server and customer
Precondition	
Main scenario	<ol style="list-style-type: none"> 1. <i>Customer clicks the button for ordering a taxi</i> 2. <i>Application sends the GPS coordinates to the server</i>
Exceptions	
Extensions	
Dependent UC	

4.3.2 Use case "order a taxi"

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Use case ID	CUSTOMER2
Name	<i>Order a taxi</i>
Goal	<i>Order a taxi to customer location</i>
Participating actors	Server and customer
Precondition	
Main scenario	<ol style="list-style-type: none"> 1. <i>Customer uses web application to select his/hers position on the map</i> 2. <i>The position is sent to the server</i>
Exceptions	
Extensions	
Dependent UC	

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

5. Requirements Definition

5.1 Requirement Group Definitions

Identification	Requirement Group	Rem.
CA	Customer application	
TA	Taxi application	
SER	Server	
NFR	Non-functional requirements	

5.2 Requirement Sources

Source	Description	Rem.
CTM	Customer	
SYS	System	
DEV	Developer	

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

5.3 Requirement definitions

Identity	Status	Priority	Description	Source
Android application for customers				
CA-1	I	1	User can send request for taxi	CTM
CA-2	I	1	User can receive information about taxi that is assigned to pick him up and the estimated time of arrival	CTM
Android application for taxis				
TA-1	I	1	User sends information about his position periodically	SYS
TA-2	I	1	User can receive request to pick up customer	CTM
TA-3	I	1	User can receive information about zone he is currently in	CTM
TA-4	I	1	User can change its status	SYS
TA-5	H	2	User can accept or decline call	CTM
TA-6	I	2	User can see if connection with server is established	DEV
TA-7	H	2	User can register taxi	SYS
Server				
SER-1	I	1	Server can determine client location	SYS
SER-2	I	1	Server can determine zone based on position	SYS
SER-3	I	1	Server can notify customer	CTM
SER-4	I	1	Server can manage queues	SYS
SER-5	I	1	Server can assign taxi to customer	CTM
SER-6	I	1	Server can update taxi status	SYS
SER-7	I	2	Server can recognize taxis by its id	SYS
SER-7	H	3	Server can calculate which taxi is nearest to certain position	DEV
Non-functional requirements				
NFR-1	I	1	System has to be reliable always	CTM
NFR-2	I	1	Mobile applications are developed for Android OS	SYS
NFR-3	I	1	Mobile applications should be user friendly	DEV
NFR-4	I	1	System should be able to work with large number of customers	CTM

Taxi Service	Version: 1.0
Requirements Definition	Date: 2012-11-02

Requirement status:

- I = initial* (this requirement has been identified at the beginning of the project),
- D = dropped* (this requirement has been deleted from the requirement definitions),
- H = on hold* (decision to be implemented or dropped will be made later),
- A = additional* (this requirement was introduced during the project course).

Requirement priority:

- 1-high priority
- 2-medium priority
- 3-low priority

5.3.1 Change Log

Identity	Action	Date	Comments

Requirement status:

- D = dropped* (this requirement has been deleted from the requirement definitions),
- H = on hold* (decision to be implemented or dropped will be made later),
- A = added* (this requirement was introduced during the project course).
- R = resurrected* (dropped or on hold requirement was reactivated)

6. Future Development

Initial version of product will consist only of features needed for core functionality. Additional features were considered and discussed, but will be added after the main goals are accomplished. Some of these additional features are:

- Taxi sharing
- Advertisement system
- Customer registration
- Keep statistics about taxis and customers
- Show directions to taxi driver
- Connect applications with social networks

Final product could be developed for other operating systems besides Android, such as iOS or WP7.